




Hortumlar

- SEL Hidrolik Hortumlar
- SEL Endüstriyel Hortumlar
- SEL PVC Hortumlar
- SEL Termoplastik Hortumlar
- Diğer

Valvo[®]
Group



SEL[®]
HOSES
An Eaton Brand

Forcstream® R1 A/1ST

SAE 100 R1A/DIN-EN 853 1ST | TS EN 853



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/16"	12,3	250	1100	90	195
1/4"	15,5	225	1030	100	290
5/16"	17,1	215	970	115	335
3/8"	19,4	180	820	130	410
1/2"	22,6	160	700	180	505
5/8"	25,8	130	600	200	585
3/4"	29,8	105	480	240	720
1"	37,6	88	375	300	1035
1 1/4"	45	63	280	420	1340
1 1/2"	51,4	50	260	500	1535
2"	66,4	40	250	630	2275

Forcstream R1AT/1SN

SAE 100 R1 AT/DIN-EN 853 1SN | TS EN 853



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/16"	11,6	250	1100	90	180
1/4"	13,2	225	1030	100	220
5/16"	14,8	215	970	115	260
3/8"	17,2	180	820	130	330
1/2"	20,4	160	700	180	410
5/8"	23,5	130	600	200	470
3/4"	27,5	105	500	240	585
1"	35,4	88	375	300	870
1 1/4"	43,5	63	280	420	1205
1 1/2"	50	50	260	500	1400
2"	63,6	40	250	630	1910
2 1/2"	76,5	40	200	762	2535
3"	88,5	35	160	900	2710

Forcstream R2A/2ST


SAE 100 R2A/DIN-EN 853 2ST | TS EN 853



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/16"	15,5	415	1850	90	360
1/4"	17,1	400	1700	100	445
5/16"	18,7	350	1550	115	505
3/8"	21	330	1450	130	625
1/2"	24,2	275	1300	180	735
5/8"	27,4	250	1050	200	865
3/4"	31,4	215	920	240	1060
1"	39	165	690	300	1430
1 1/4"	49,8	125	620	420	2120
1 1/2"	56,2	90	520	500	2380
2"	68,8	78	420	630	3045

Forcstream R2AT/2SN

SAE 100 R2 AT/DIN-EN 853 2SN | TS EN 853



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/16"	13,3	415	1850	90	295
1/4"	15	400	1700	100	375
5/16"	16,5	350	1550	115	430
3/8"	18,9	330	1450	130	540
1/2"	22,2	275	1300	180	640
5/8"	25,2	250	1050	200	750
3/4"	29,2	215	920	240	925
1"	37,2	165	690	300	1290
1 1/4"	47,3	125	620	420	1890
1 1/2"	53,7	90	520	500	2100
2"	66,7	78	420	630	2760
2 1/2"	79,8	69	300	760	3810
3"	91,9	50	240	900	4040

Forcstream 1SC

DIN-EN 857 1SC | TS EN 857



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/4"	12,2	225	1100	50	180
5/16"	13,6	215	1000	55	200
3/8"	15,5	180	900	60	260
1/2"	19	160	800	70	345
5/8"	22,4	130	650	90	420
3/4"	25,8	105	520	100	495
1"	33,4	88	430	160	735

Forcstream R5

SAE J517 100 R5



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/16"	12,9	210	1100	75	245
1/4"	14,5	210	1000	85	285
5/16"	16,8	157	800	100	350
13/32"	19,1	140	700	115	405
1/2"	22,9	122	600	140	560
5/8"	27,1	105	520	165	695
7/8"	30,8	56	380	185	690
1 1/8"	37,6	43	300	230	910
1 3/8"	44,5	35	250	265	1135
1 13/16"	56,4	24	200	335	1370
2 3/8"	73	24	150	610	2270

SEL Çelik Telli Hidrolik Hortumlar

Forcestream 2SC


DIN-EN 857 2SC | TS EN 857



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/4"	13,2	400	1850	45	285
5/16"	15	350	1700	55	330
3/8"	17,1	330	1550	65	410
1/2"	20,7	275	1300	80	575
5/8"	23,8	250	1150	90	685
3/4"	27,7	215	1000	120	810
1"	35,5	165	840	160	1170

Hydrowash/1-2


SAE 100 R1 AT-R2 AT/DIN - EN 853 1SN -2SN | Max 150°C



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
R1 5/16"	14,8	250	1000	115	260
R2 5/16"	16,5	400	1600	115	435
R1 3/8"	17,2	250	1000	130	335
R2 3/8"	18,9	400	1600	130	550

Ultimate 1SN

SAE 100 R1 AT/DIN-EN 853 1SN | TS EN 853 135°C



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/16"	11,6	250	1100	90	190
1/4"	13,2	225	1030	100	235
5/16"	14,8	215	970	115	275
3/8"	17,2	180	820	130	350
1/2"	20,4	160	700	180	435
5/8"	23,5	130	600	200	500
3/4"	27,5	105	500	240	635
1"	35,4	88	375	300	935
1 1/4"	43,5	63	280	420	1310
1 1/2"	50	50	260	500	1485
2"	63,6	40	250	630	2020
2 1/2"	76,5	40	200	760	2670
3"	88,5	35	160	900	2865

Ultimate R5

SAE J517 100 R5 | 135°C



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/16"	12,9	210	1100	75	255
1/4"	14,5	210	1000	85	295
5/16"	16,8	157	800	100	370
13/32"	19,1	140	700	115	430
1/2"	22,9	122	600	140	590
5/8"	27,1	105	520	165	735
7/8"	30,8	56	380	185	725
1 1/8"	37,6	43	300	230	945
1 3/8	44,5	35	250	265	1170
1 13/16"	56,4	24	200	335	1420
2 3/8"	73	24	150	610	2355

Ultimate 2SN

SAE 100 R2 AT/DIN-EN 853 2SN | TS EN 853 135°C



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/16"	13,3	415	1850	90	305
1/4"	15	400	1700	100	390
5/16"	16,5	350	1550	115	455
3/8"	18,9	330	1450	130	560
1/2"	22,2	275	1300	180	665
5/8"	25,2	250	1050	200	780
3/4"	29,2	215	920	240	965
1"	37,2	165	690	300	1390
1 1/4"	47,3	125	600	420	2075
1 1/2"	53,7	90	500	500	2390
2"	66,7	78	420	630	3065
2 1/2"	79,8	69	300	760	3980
3"	91,9	50	240	900	4165

Superstream 2K - Compact

Exceed DIN-EN 857 2SC | Süper Esnek / Yüksek Basınç



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/4"	13,1	450	1950	45	285
5/16"	15	420	1725	60	330
3/8"	17,1	385	1650	70	440
1/2"	20,3	345	1400	90	565
5/8"	23,7	290	1200	130	660
3/4"	27,7	280	1200	160	835
1"	35,6	200	900	210	1215

Twinstream 1SC - İkiz

DIN-EN 857 1SC | TS EN 857 Üstü Düz



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/4"x1/4"	12,5 x12,5	225	1100	50	380
5/16"x5/16"	13,9x13,9	215	1000	55	430
3/8"x3/8"	15,8x15,8	180	900	60	540
1/2"x1/2"	19,3x19,3	160	800	70	720

Twinstream 2SC - İkiz

DIN-EN 857 2SC | TS EN 857 Üstü Düz



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/4"x1/4"	13,5 x13,5	400	1850	45	600
5/16"x5/16"	15,3x15,3	350	1700	55	690
3/8"x3/8"	17,4x17,4	330	1550	65	855
1/2"x1/2"	21x21	275	1270	80	1185

Filflex Hidrolik Hortumlar

SAE 100 R1 AT

İÇ
inch
1/4"
5/16"
3/8"
1/2"
5/8"
3/4"
3/6"
1"



SAE 100 R2 AT

İÇ
inch
1/4"
5/16"
3/8"
1/2"
5/8"
3/4"
3/6"
1"



FILFLEX

Multispiral Hidrolik Hortumlar

Powerstream 4SP

Spiral Çelik Telli Hidrolik | TS EN 856 4SP



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/4"	17,6	450	1800	150	565
3/8"	21,2	445	1780	180	730
1/2"	24,4	415	1660	230	865
5/8"	28	350	1400	250	1035
3/4"	32	350	1400	300	1485
1"	39,1	280	1120	340	1900

Powerstream 4SH

Spiral Çelik Telli Hidrolik | TS EN 856 4SH



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/4"	32	420	1680	280	1465
1"	38,4	380	1520	340	2035
1 1/4"	45,2	350	1400	460	2385
1 1/2"	53	290	1160	560	3185
2"	67,6	250	1000	700	4365

SEL Multispiral Hidrolik Hortumlar

Powerstream R12+



Yüksek Basıncılı Hidrolik 120°C | TS EN 856 R12

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/8"	20	280	1450	100	600
1/2"	23,5	280	1350	125	740
5/8"	27,6	280	1350	140	1030
3/4"	30,5	280	1350	150	1165
1"	38,1	280	1300	225	1760
1 1/4"	46,6	210	1100	250	2465
1 1/2"	53,2	175	1100	500	2870
2"	66,8	175	900	650	4030

Powerstream R13



Yüksek Basıncılı Hidrolik 120°C | TS EN 856 R13

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/4"	32	345	1380	240	1590
1"	38,4	345	1380	300	2030
1 1/4"	49,3	345	1380	420	3815
1 1/2"	57,3	345	1380	500	4770
2"	71,6	345	1380	630	6310

Powerstream R15



SAE 100 R15 | Yüksek Basıncılı Hidrolik 120°C

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/8"	21,2	420	1680	150	730
1/2"	24,4	420	1680	200	865
5/8"	28,7	420	1680	235	1195
3/4"	32	420	1680	265	1465
1"	38,4	420	1680	330	2035
1 1/4"	49,3	420	1680	445	3815
1 1/2"	57,3	420	1680	530	4770

Tornado/6



Çok Yüksek Basıncılı Hidrolik 120°C | ISO 18752 GRADE C

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/4"	35,4	600	2450	300	2640
1"	41,2	552	2250	350	2980
1 1/4"	51,8	525	2130	420	4125
1 1/2"	59	475	1900	500	5095
2"	72	420	1680	600	6655
2 1/2"	86	350	1400	800	8740
3"	97,3	210	900	900	10300

Selblast 4



Spiral Çelik Telli Hidrolik | Waterblast

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/4"	17,6	1000	2500	125	610
3/8"	21,3	850	2125	150	755
1/2"	24,6	800	2000	180	885
3/4"	32	720	1800	220	1535

Selblast 4+



Spiral Çelik Telli Hidrolik | Waterblast

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/4"	17,6	1250	3125	200	615
3/8"	20,4	1250	3125	210	875
1/2"	24,6	1100	2750	230	1215
3/4"	32	1100	2750	250	1855



Powerstream® X-4000

Ekstra Esnek 120°C | Exceed EN 856 R12

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/8"	19,2	280	1120	65	525
1/2"	22,6	280	1120	90	750
5/8"	26,8	280	1120	100	910
3/4"	30,4	280	1120	120	1125
1"	38,1	280	1120	150	1705
1 1/4"	46,6	280	1120	210	2490



Powerstream® X-5000

Ekstra Esnek 120°C

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/8"	19,3	350	1400	90	560
1/2"	22,2	350	1400	115	755
5/8"	26	350	1400	125	925
3/4"	31	350	1400	140	1320
1"	38,4	350	1400	150	1950
1 1/4"	45,2	350	1400	350	2495



Powerstream® X-6000

Ekstra Esnek 120°C

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/8"	20,6	420	1680	110	745
1/2"	23,5	420	1680	120	885
5/8"	27	420	1680	140	1060
3/4"	32	420	1680	170	1470
1"	38,1	420	1680	220	2015
1 1/4"	49,3	420	1680	265	3785

Tekstil Örgülü Hidrolik Hortumlar



Seltex R6

EN 854 R6 SAE 100 R6 | TS EN 854 R6

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/16"	10,7	34	250	35	90
1/4"	12,3	28	200	45	105
5/16"	13,9	28	200	65	125
3/8"	15,5	28	200	75	150
1/2"	19,5	28	200	90	225
5/8"	22,6	24	140	115	260
3/4"	25,8	21	130	140	315
1"	33,2	20	100	150	470



Ultimate R6

EN 854 R6 SAE 100 R6 | TS EN 854 R6 135°C

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/16"	10,7	34	250	35	100
1/4"	12,3	28	200	45	120
5/16"	13,9	28	200	65	140
3/8"	15,5	28	200	75	165
1/2"	19,5	28	200	90	245
5/8"	22,6	24	140	115	290
3/4"	25,8	21	130	140	345
1"	33,2	20	100	150	505

SEL Tekstil Örgülü Hidrolik Hortumlar

Seltex R3



EN 854 R3 SAE 100 R3 | TS EN 854 R3

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/16"	12,7	103	412	80	155
1/4"	14,3	86	400	80	185
5/16"	17,5	83	370	100	270
3/8"	19,1	78	340	100	300
1/2"	23,8	69	300	125	435
5/8"	27	60	270	140	500
3/4"	31,8	52	240	150	695
1"	38,1	39	190	205	865
1 1/4"	44,5	26	140	255	995
1 1/2"	51	20	110	295	1170

Seltex 1TE



EN 854 1 TE | TS EN 854 1TE

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/16"	10,7	25	230	35	95
1/4"	12,3	25	180	45	115
5/16"	13,9	20	180	65	130
3/8"	15,5	20	170	75	155
1/2"	19	16	160	90	205
5/8"	22,6	16	130	115	265
3/4"	25,8	12	120	140	315
1"	33,2	12	95	150	475

Seltex 2TE



EN 854 2 TE | TS EN 854 2TE

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/16"	11,8	80	410	25	115
1/4"	13,4	75	400	40	150
5/16"	14,9	68	380	50	170
3/8"	16,5	63	310	60	195
1/2"	19,7	58	280	70	240
5/8"	23,9	50	260	90	325
3/4"	27	45	230	110	380
1"	34,4	40	200	150	545
1 1/4"	41,4	35	180	170	740
1 1/2"	48,1	30	180	190	870

Seltex 3TE



EN 854 3 TE | TS EN 854 3TE

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/16"	12,8	160	700	40	135
1/4"	14,4	145	630	45	165
5/16"	16,9	130	580	55	215
3/8"	18,5	110	500	70	245
1/2"	21,7	93	440	85	305
5/8"	25,9	80	380	105	410
3/4"	29	70	330	130	465
1"	35,9	55	280	150	630
1 1/4"	42,3	45	220	190	755
1 1/2"	49,6	40	190	240	965
2"	62,3	33	160	300	1280
2 3/8"	72	25	140	400	1555

Seltex R4



SAE J 517 R4

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/4"	32	21	84	125	755
1"	37,4	17	68	150	885
1 1/4"	45	14	56	200	1140
1 1/2"	52	10	40	255	1550
2"	64	7	28	300	1890
2 1/2"	77	4	16	355	2377
3"	90	4	16	460	3121
3 1/2"	103	3	12	590	3416
4"	116	2	8	610	4171

Seltex R4-X



SAE J 517 R4 | Ekstra Esnek

İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/4"	29	21	84	50	522
1"	35	17	68	65	638
1 1/4"	42	14	56	85	825
1 1/2"	49	10	40	95	1075
2"	62	7	28	135	1544
2 1/2"	75,5	4	16	180	2018
3"	88	4	16	225	2505
3 1/2"	103	3	12	270	3162
4"	115	2	8	390	3635

Selbrake

SAE J 1401 | Hidrolik Fren TS ISO 3996



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/8"	10,5	276	490	90
3/16"	13	276	345	130

Selbrake 2

SAE J 1402 | Hava Fren



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/8"	19	20,7	62	89	260
1/2"	22,2	20,7	62	102	325
5/8"	26,9	20,7	62	114	475

Spiral Guards


Polietilen Spiral Koruma



İÇ	DÇ	Ağr	Kutu Miktarı
inch	mm	gr/m	m
7,5	10	32	400
9,5	12	39	300
13	16	64	150
16	20	106	100
20	25	166	60
24	29	196	50
27	32	217	40
30	35	239	30
35	40	276	25
44	50	415	15
50	60	810	10
60	70	958	8
65	75	1032	5
75	85	1180	5
80	90	1252	5
100	110	1548	2,5

Spiral Guards

Polyamid Spiral Koruma



İÇ	DÇ	Ağr	Kutu Miktarı
inch	mm	gr/m	m
7,5	10	37	400
9,5	12	45	300
13	16	74	150
16	20	122	100
20	25	190	60
24	29	225	50
27	32	250	40
30	35	275	30
35	40	317	25
44	50	477	15
50	60	931	10
60	70	1083	8
65	75	1134	5
75	85	1295	5
80	90	1377	5
100	110	1700	2,5

Endüstriyel Hortumlar

Su Hortumları

Ege-6

Alçak Basıncı Su | TS EN ISO 1403/TİP1



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	20	6	18	277
5/8"	23	6	18	322
3/4"	26	6	18	385
1"	33	6	18	510
1 1/8"	36	6	18	608
1 1/4"	40	6	18	632
1 1/2"	46	6	18	740
1 3/4"	53	6	18	930
2"	60	6	18	1195
2 1/2"	73	6	18	1491
2 3/4"	80	6	18	1750
3"	86	6	18	1811
4"	112	6	18	2545
5"	139	6	18	3555
6"	165	6	18	4634

Ege-10

Orta Basıncı Su | TS EN ISO 1403/TİP2



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	20	10	30	277
5/8"	23	10	30	322
3/4"	27	10	30	435
1"	33	10	30	499
1 1/4"	41	10	30	749
1 1/2"	47	10	30	895
1 3/4"	54	10	30	1101
2"	60	10	30	1183
2 1/2"	74	10	30	1670
2 3/4"	82	10	30	2061
3"	88	10	30	2193
4"	115	10	30	3286
5"	140	10	30	3861
6"	165	10	30	4560

SEL Su Hortumları

Ege-25

Yüksek Basıncılı Su | TS EN ISO 1403/TİP3



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	21	25	75	330
5/8"	26	25	75	492
3/4"	29	25	75	553
1"	36,5	25	75	763
1 1/4"	44	25	75	1030
1 1/2"	51	25	75	1330
1 3/4"	58	25	75	1352
2"	65	25	75	1859
2 1/2"	79	25	75	2560
2 3/4"	87	25	75	3037
3"	93	25	75	3072
4"	119	25	75	4491

Marmara

Sanayi Tipi Su | TS EN ISO 1403/TİP2



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	20	10	30	225
5/8"	23	10	30	305
3/4"	27	10	30	401
7/8"	30	10	30	443
1"	33	10	30	492
1 1/8"	36	10	30	520
1 1/4"	41	10	30	712
1 3/8"	44	10	30	810
1 1/2"	47	10	30	830
1 5/8"	50	10	30	877
1 3/4"	54	10	30	1025
2"	60	10	30	1102
2 1/2"	74	10	30	1550
2 3/4"	82	10	30	2019
3"	88	10	30	2105
4"	115	10	30	3155

Long Su-10

Üstü Düz | TS EN ISO 1403/TİP2



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/4"	11	10	30	105
5/16"	14	10	30	160
3/8"	16	10	30	190
1/2"	19	10	30	230
5/8"	23	10	30	330
3/4"	27	10	30	440
1"	34	10	30	630

Long Su-10

Üstü Düz



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/4"	11	10	30	105
5/16"	14	10	30	160
3/8"	16	10	30	190
1/2"	19	10	30	230
5/8"	23	10	30	330
3/4"	27	10	30	440
1"	34	10	30	630

Karadeniz-10

Su Alıcı Verici



İÇ	DÇ	ÇB	PB	VAKUM	Ağr
inch	mm	bar	bar	bar	gr/m
1"	34	10	30	-0.92	635
1 1/4"	42	10	30	-0.92	924
1 1/2"	48	10	30	-0.92	1165
1 3/4"	55	10	30	-0.92	1440
2"	62	10	30	-0.92	1738
2 1/2"	75	10	30	-0.92	2200
2 3/4"	82	10	30	-0.92	2541
3"	89	10	30	-0.92	2845
4"	115	10	30	-0.92	3930
5"	142	10	30	-0.80	5620
6"	168	10	30	-0.80	7340
8"	225	10	30	-0.80	13650
10"	279	10	30	-0.80	18170

Akdeniz

Spiral Su Emici | TS EN ISO 4641/TİP1



İÇ	DÇ	ÇB	PB	VAKUM	Ağr
inch	mm	bar	bar	bar	gr/m
1"	34	3	10	-0.63	635
1 1/4"	42	3	10	-0.63	865
1 1/2"	48	3	10	-0.63	1090
2"	61	3	10	-0.63	1402
2 1/2"	74	3	10	-0.63	2090
3"	88	3	10	-0.63	2660
4"	115	3	10	-0.63	3540
5"	145	3	10	-0.63	5470
6"	170	3	10	-0.63	6965
8"	225	3	10	-0.63	9245
10"	280	3	10	-0.63	15930
12"	329	3	10	-0.63	18915

Flat-5

Bezli Verici 5 Bar



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
2"	56	5	15	705
2 1/2"	69	5	15	871
3"	82	5	15	1031
4"	108	5	15	1090
5"	134	5	15	1592
6"	160	5	15	2145
8"	212	5	15	2718
10"	264	5	15	4160

Flat-10

Bezli Verici 10 Bar



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
2"	57	10	30	785
2 1/2"	70	10	30	968
3"	83	10	30	1232
4"	109	10	30	1785
5"	136	10	30	2650
6"	162	10	30	3556
8"	217	10	30	6285
10"	268	10	30	8280

TB Kuka-200

Kanal Açma (Her İki Ucu Rakorlu)



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/2"	25	200	500	65	430
5/8"	28	200	500	75	450
3/4"	31,6	200	500	90	545
1"	39,3	200	500	100	770
1 1/4"	48	200	500	130	1040

TB Kuka-250

Kanal Açma (Her İki Ucu Rakorlu)



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/2"	25	250	625	65	440
5/8"	28	250	625	75	480
3/4"	31,6	250	625	90	555
1"	39,3	250	625	100	780
1 1/4"	48	250	625	130	1060

TB Kuka-250

Kanal Açma (Her İki Ucu Rakorlu) | TSE K 380



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/2"	25	250	625	65	440
5/8"	28	250	625	75	480
3/4"	31,6	250	625	90	555
1"	39,3	250	625	100	780
1 1/4"	48"	250	625	130	1060

Milas-40

Yangın Söndürme | TS EN 1947/TİPC



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
3/4"	32,5	40	120	190	715
1"	39	40	120	200	870

SEL Hava Hortumları

Sky-10



Hafif Hizmet Hava | TS EN - ISO 2398/TİP1 Sınıf A

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	22	10	40	400
5/8"	25	10	40	444
3/4"	29	10	40	564
1"	36	10	40	661
1 1/8"	39	10	40	866
1 1/4"	44	10	40	1051
1 1/2"	51	10	40	1341
1 3/4"	57	10	40	1426
2"	63	10	40	1619
2 1/2"	78	10	40	2368
2 3/4"	84	10	40	2519
3"	92	10	40	3074
4"	117	10	40	3828

Sky-20



Normal Hizmet Hava | TS EN - ISO 2398 TİP2 Sınıf A

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	22	16	64	332
5/8"	25	16	64	374
3/4"	29	16	64	504
1"	36	16	64	670
1 1/4"	44	16	64	955
1 1/2"	51	16	64	1177
1 3/4"	60	16	64	1630
2"	65	16	64	1655
2 1/2"	80	16	64	2450
2 3/4"	85	16	64	2600
3"	92	16	64	2650
4"	118	16	64	3810

Sky-25



Ağır Hizmet Hava | TS EN - ISO 2398 TİP3 Sınıf A

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	23	25	100	380
5/8"	26	25	100	450
3/4"	30	25	100	570
1"	37	25	100	720
1 1/4"	44	25	100	950
1 1/2"	51	25	100	1210
1 3/4"	60	25	100	1660
2"	66	25	100	1825
2 1/2"	80	25	100	2505
2 3/4"	86	25	100	2665
3"	92	25	100	2785
4"	118	25	100	3530

Moon-40



Çelik Tel Örgülü Hava

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	23	40	160	511
3/4"	29,5	40	160	630
1"	36	40	160	880
1 1/4"	43	40	160	1110
1 1/2"	50	40	160	1540
2"	66	40	160	2515
2 1/2"	80	40	160	3360
3"	94	40	160	4500
4"	122	40	160	6771

Long-Komp10 Bar



Hafif Hizmet Hava | TS EN - ISO 2398 TİP1 Sınıf A

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/4"	11	10	40	100
5/16"	14	10	40	105
3/8"	16	10	40	160
1/2"	19	10	40	190
5/8"	23	10	40	235
3/4"	27	10	40	440
1"	34	10	40	635

Long-Komp10 Bar



Hafif Hizmet Hava

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/4"	11	10	30	100
5/16"	14	10	30	105
3/8"	16	10	30	160
1/2"	19	10	30	190
5/8"	23	10	30	235
3/4"	27	10	30	440
1"	34	10	30	635

Long-Komp16 Bar

Normal Hizmet Hava | TS EN ISO 2398 TİP2 Sınıf A



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/4"	13	16	64	160
5/16"	15	16	64	195
3/8"	18	16	64	270
1/2"	22	16	64	395
5/8"	25	16	64	450
3/4"	29	16	64	585
1"	37	16	64	1890

Long-Komp20 Bar

Normal Hizmet Hava



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/4"	13	20	60	160
5/16"	15	20	60	195
3/8"	18	20	60	270
1/2"	22	20	60	395
5/8"	25	20	60	450
3/4"	29	20	60	585
1"	37	20	60	1890

Mars

Toz ve Hava Emme



İÇ	DÇ	ÇB	PB	VAKUM	Ağr
inch	mm	bar	bar	bar	gr/m
1"	32	-	-	-0,60	417
1 1/4"	39	-	-	-0,60	617
1 1/2"	45	-	-	-0,60	721
1 3/4"	52	-	-	-0,60	806
2"	58	-	-	-0,60	912
2 1/2"	72	-	-	-0,60	1407
2 3/4"	78	-	-	-0,60	1500
3"	84,5	-	-	-0,60	1694
4"	110	-	-	-0,60	2336
5"	135	-	-	-0,60	3176
6"	162	-	-	-0,60	4171
8"	214	-	-	-0,60	6282
10"	267	-	-	-0,60	8795
12"	315	-	-	-0,60	10430

Jupiter

Oksijen-Asetilen Kaynak | TS EN ISO 3821 (Yanmaz)



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/4"	13	20	60	155
5/16"	15	20	60	185
3/8"	17	20	60	220

Jupiter Twin

Oksijen-Asetilen Kaynak | TS EN ISO 3821 (Yanmaz)



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/4"	13	20	60	320
5/16"	15	20	60	390
3/8"	17	20	60	460

Uranus

LPG Kaynak | TS EN ISO 3821 (Yanmaz)



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/4"	13	20	60	155
5/16"	15	20	60	190
3/8"	17	20	60	220

Argon

Argon Kaynak | TS EN ISO 3821 (Yanmaz)



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/4"	13	20	60	155
5/16"	15	20	60	190
3/8"	17	20	60	220

SEL Buhar ve Sıcak Su Hortumları

Buhar 1A

Bezli Buhar | TS EN ISO 6134 TİP1 CLASS A



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	25	6	60	390
5/8"	30	6	60	560
3/4"	33	6	60	630
1"	40	6	60	811
1 1/4"	48	6	60	1130
1 1/2"	54	6	60	1275
1 3/4"	60	6	60	1540
2"	69	6	60	1885
2 1/2"	81	6	60	2226
3"	94	6	60	2758
4"	122	6	60	4020

Buhar 170

Bezli Buhar



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	24	7	70	322
5/8"	28	7	70	456
3/4"	31	7	70	525
1"	37	7	70	610
1 1/4"	46	7	70	942
1 1/2"	53	7	70	1166
1 3/4"	60	7	70	1400
2"	67,5	7	70	1747
2 1/2"	81	7	70	2229
3"	98	7	70	3312
4"	124	7	70	4443

Geyser-2A

Çelik Tel Örgülü Buhar | TS EN ISO 6134 TİP 2 CLASS A



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	25	18	180	530
5/8"	30	18	180	750
3/4"	33	18	180	780
1"	40	18	180	1025
1 1/4"	48	18	180	1410
1 1/2"	54	18	180	1775
2"	69	18	180	2580
2 1/2"	81	18	180	3160

Buhar-SW

Çelik Tel Örgülü Buhar | BS 5342 TYPE 2 CLASS A



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	24	17	170	485
5/8"	27	17	170	555
3/4"	32	17	170	720
1"	38,5	17	170	955
1 1/4"	46	17	170	1265
1 1/2"	52	17	170	1580
2"	67	17	170	2365
2 1/2"	79,5	17	170	2970

Buhar GF

Cam Elyafli Buhar



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	24	7	70	410
5/8"	30	7	70	650
3/4"	33	7	70	710
1"	39,5	7	70	820
1 1/4"	47	7	70	1145
1 1/2"	53	7	70	1345
1 3/4"	60	7	70	1570
2"	67,5	7	70	1970
2 1/2"	81	7	70	2510
3"	98	7	70	3660

Sıcak Su Long

Üstü Düz | TS-548 TİP2



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/4"	12	4	12	115
5/16"	14	4	12	140
3/8"	16	4	12	165
1/2"	20	4	12	260
5/8"	23	4	12	290
3/4"	27	4	12	390

Sıcak Su Long Üstü Düz



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/4"	12	5	15	115
5/16"	14	5	15	140
3/8"	16	5	15	165
1/2"	20	5	15	260
5/8"	23	5	15	290
3/4"	27	5	15	390

Isı Radyatör

Sıcak Su | TS 548 TİP2



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	19	4	12	215
5/8"	22	4	12	260
3/4"	25	4	12	302
7/8"	28	4	12	343
1"	32	4	12	432
1 1/8"	34,5	4	12	472
1 1/4"	40	4	12	636
1 3/8"	43	4	12	690
1 1/2"	47	4	12	845
1 3/4"	54	4	12	1050
2"	60	4	12	1182
2 1/4"	67	4	12	1405
2 1/2"	73,5	4	12	1490
2 3/4"	80	4	12	1630
3"	86	4	12	1765
3 1/2"	100	4	12	2065
4"	111,5	4	12	2300

Aşındırıcı Madde Hortumları



Kum

Kumlama Verici | TS EN ISO 3861

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1"	39	12	36	813
1 1/4"	48	12	36	1160
1 1/2"	56	12	36	1531
1 3/4"	63	12	36	1820
2"	69	12	36	2030
2 1/2"	82	12	36	2626
2 3/4"	90	12	36	2920
3"	96	12	36	3090

Kum

Kumlama Alıcı-Verici | Exceed TS EN ISO 3861

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1"	41	12	36	1115
1 1/4"	50	12	36	1445
1 1/2"	58	12	36	1765
1 3/4"	65	12	36	2420
2"	71	12	36	2440
2 1/2"	84	12	36	2975
2 3/4"	92	12	36	3250
3"	98	12	36	3610

Çimento

Çimento Verici



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1"	37	10	30	622
1 1/4"	44	10	30	817
1 1/2"	50	10	30	945
2"	64,5	10	30	1421
2 1/2"	77	10	30	1733
3"	90	10	30	2090
4"	118	10	30	3252
5"	146	10	30	4840
6"	172	10	30	6000
8"	225	10	30	8705

Çimento SD

Çimento Alıcı-Verici



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1"	39	10	30	880
1 1/4"	45	10	30	1045
1 1/2"	52	10	30	1395
2"	66	10	30	1975
2 1/2"	78,5	10	30	2315
3"	92	10	30	3117
4"	120	10	30	4550
5"	149	10	30	6697
6"	174,5	10	30	8807
8"	229	10	30	13690

SEL Aşındırıcı Madde Hortumları

Silobas

Silobas



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
2"	60,4	5	15	960
2 1/2"	73	5	15	1175
3"	86	5	15	1392
3 1/2"	100	5	15	1770
4"	112	5	15	2025
4"	115	5	15	2550
4"	117	5	15	3177
5"	137	5	15	3276
6"	164	5	15	3414
8"	215	5	15	4660

Beton Uç 85

Rakorlu Beton Uç



İÇ	BOY
inch	mt
4"	1,5
4"	2
4"	3
4"	4
4"	5
4"	6
5"	1,5
5"	2
5"	3
5"	4
5"	5
5"	6

Gıda Hortumları

Spring D/10

İçme Suyu Verici | FDA'ya Uygun



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	22	10	30	385
5/8"	26	10	30	509
3/4"	30	10	30	634
1"	37	10	30	820
1 1/4"	44	10	30	1080
1 1/2"	51	10	30	1365
2"	65	10	30	1910
2 1/2"	77,5	10	30	2330
3"	92	10	30	3030
4"	117,5	10	30	3955

Spring SD/10

İçme Suyu Alıcı-Verici | FDA'ya Uygun



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	24	10	30	540
5/8"	28	10	30	650
3/4"	31	10	30	730
1"	38	10	30	984
1 1/4"	45	10	30	1260
1 1/2"	52	10	30	1690
2"	66	10	30	2335
2 1/2"	78,5	10	30	2860
3"	93	10	30	3805
4"	118,5	10	30	4835

Krema D/10

Süt & Nebati Yağ Verici | FDA'ya Uygun



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	22	10	30	373
5/8"	26	10	30	495
3/4"	30	10	30	613
1"	37	10	30	793
1 1/4"	44	10	30	1048
1 1/2"	51	10	30	1314
2"	65	10	30	1835
2 1/2"	77,5	10	30	2269
3"	92	10	30	2928
4"	117,5	10	30	3825

Krema SD/10

Süt & Nebati Yağ Alıcı-Verici | FDA'ya Uygun



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	24	10	30	500
5/8"	28	10	30	625
3/4"	31	10	30	705
1"	38	10	30	955
1 1/4"	45	10	30	1225
1 1/2"	52	10	30	1650
2"	66	10	30	2285
2 1/2"	78,5	10	30	2797
3"	93	10	30	3735
4"	118,5	10	30	4725

Buhar-DW



Gıda Buhar | FDA'ya Uygun

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	30	7	70	595
1"	37	7	70	684
1 1/4"	44	7	70	1070
1 1/2"	51	7	70	1343
2"	65	7	70	1968
2 1/2"	77,5	7	70	2504
3"	92	7	70	3660
4"	117,5	7	70	4825

Buhar-DW S/D



Gıda Buhar Alıcı - Verici | FDA'ya Uygun

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	32	7	70	686
1"	38	7	70	850
1 1/4"	47	7	70	1124
1 1/2"	55	7	70	1734
2"	67	7	70	2200
2 1/2"	83	7	70	3170
3"	100	7	70	4681
4"	126	7	70	6117

MEY D/10



Bira Şarap Verici | FDA'ya Uygun

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	30	10	30	556
1"	37	10	30	719
1 1/4"	44	10	30	945
1 1/2"	51	10	30	1186
2"	65	10	30	1657
2 1/2"	77,5	10	30	2078
3"	92	10	30	2680
4"	117,5	10	30	3544

MEY SD/10



Bira Şarap Alıcı-Verici | FDA'ya Uygun

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	30	10	30	593
1"	37	10	30	801
1 1/4"	44	10	30	1029
1 1/2"	51	10	30	1430
2"	65	10	30	1981
2 1/2"	77,5	10	30	2244
3"	92	10	30	3285
4"	117,5	10	30	4173

Akaryakıt Hortumları

Pompa/L



Akaryakıt Pompa Üstü Düz | TS EN 1360/TİP1

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	21,5	16	48	295
5/8"	26	16	48	425
3/4"	29	16	48	475
1"	36,5	16	48	690

Barrel/16



Akaryakıt Pompa Üstü Sargılı | TS EN 1360/TİP1

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	21,5	16	48	342
5/8"	26	16	48	480
3/4"	30	16	48	530
1"	38	16	48	740
1/4"	45	16	48	1100

SEL Akaryakıt Hortumları



Fossil D/16

Akaryakıt Verici | TS 9464 EN 1761/TİP D

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	31	16	48	625
1"	37	16	48	730
1 1/4"	44	16	48	935
1 1/2"	51	16	48	1192
1 3/4"	59	16	48	1542
2"	67	16	48	1960
2 1/2"	79	16	48	2237
2 3/4"	84	16	48	2577
3"	92	16	48	2727
4"	118	16	48	3710



Fossil SD/16

Akaryakıt Alıcı-Verici | TS 9464 EN 1761/TİP SD

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	31	16	48	672
1"	37	16	48	810
1 1/4"	44	16	48	1035
1 1/2"	51	16	48	1375
2"	67	16	48	2215
2 1/2"	79	16	48	2625
2 3/4"	84	16	48	2982
3"	92	16	48	3375
4"	118	16	48	4415



Yakıt D/10

Akaryakıt Verici

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	28	10	30	444
1"	35	10	30	574
1 1/4"	42	10	30	716
1 1/2"	48	10	30	864
2"	62	10	30	1276
2 1/2"	75	10	30	1632
3"	88	10	30	1984
4"	116	10	30	3193



Yakıt SD/10

Akaryakıt Alıcı-Verici

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	29	10	30	535
1"	36	10	30	707
1 1/4"	43	10	30	914
1 1/2"	49	10	30	1155
2"	63	10	30	1644
2 1/2"	76	10	30	2129
3"	89	10	30	2768
4"	117	10	30	4035



Lpg-D

LPG Verici | TS EN 1762 TİP D-Q

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	23	25	100	392
5/8"	26	25	100	466
3/4"	31	25	100	630
1"	38	25	100	835
1 1/4"	45	25	100	1051
1 1/2"	52	25	100	1210
2"	67	25	100	1832



Lpg-SD

LPG Alıcı-Verici | TS EN 1762 TİP SD-Q

İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/2"	23	25	100	441
5/8"	26	25	100	519
3/4"	31	25	100	681
1"	38	25	100	902
1 1/4"	45	25	100	1174
1 1/2"	52	25	100	1504
2"	67	25	100	2196

Texoil/10 NL

Tekstil Takviyeli Yakıt



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/16"	10,5	10	30	106
1/4"	12	10	30	115
5/16"	14	10	30	145
3/8"	16	10	30	170
1/2"	20	10	30	265
5/8"	24	10	30	350

Uçak Aero-C

Uçak Akaryakıt Verici | TS EN ISO1825 TİP C



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	29	20	80	522
1"	38	20	80	840
1 1/4"	45	20	80	1000
1 1/2"	51	20	80	1155
2"	65	20	80	1710
2 1/2"	80	20	80	2070
3"	92	20	80	2580

Kimyasal Madde Hortumları

Kemi D/10 EPDM

Kimyasal Madde Verici EPDM



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	29	10	40	475
1"	35	10	40	600
1 1/4"	43	10	40	855
1 1/2"	49	10	40	985
2"	64	10	40	1545
2 1/2"	77	10	40	1905
3"	90	10	40	2365
4"	116	10	40	3110

Kemi SD/10 EPDM

Kimyasal Madde Alıcı-Verici EPDM



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	30	10	40	605
1"	36	10	40	720
1 1/4"	44	10	40	1020
1 1/2"	51	10	40	1355
2"	66	10	40	2080
2 1/2"	79	10	40	2700
3"	92	10	40	3240
4"	118	10	40	4050

Kemi D/10 CSM

Kimyasal Madde Verici CSM



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	30	10	40	455
1"	36	10	40	575
1 1/4"	45	10	40	835
1 1/2"	51	10	40	965
2"	65	10	40	1475
2 1/2"	79	10	40	1875
3"	92	10	40	2290
4"	118	10	40	3160

Kemi SD/10 CSM

Kimyasal Madde Alıcı-Verici CSM



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	30	10	40	590
1"	36	10	40	700
1 1/4"	45	10	40	1005
1 1/2"	52	10	40	1345
2"	67	10	40	2025
2 1/2"	80	10	40	2630
3"	93	10	40	3190
4"	120	10	40	4255

SEL Kimyasal Madde Hortumları

Kemi D/10 XLPE

Asit Solvent ve Kimyasal Madde Verici



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	30	10	40	545
1"	36	10	40	670
1 1/4"	45	10	40	1017
1 1/2"	51	10	40	1175
2"	65	10	40	1677
2 1/2"	79	10	40	2195
3"	92	10	40	2700
4"	118	10	40	3605

Kemi SD/10 XLPE

Asit Solvent ve Kimyasal Madde Alıcı-Verici



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	31	10	40	670
1"	37	10	40	815
1 1/4"	45	10	40	1125
1 1/2"	52	10	40	1460
2"	67	10	40	2260
2 1/2"	80	10	40	2820
3"	93	10	40	3425
4"	120	10	40	5290

Kemi D/10 UHMW-PE

Asit Solvent ve Kimyasal Madde Verici



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	30	10	40	563
1"	36	10	40	662
1 1/4"	45	10	40	1023
1 1/2"	51	10	40	1181
2"	65	10	40	1742
2 1/2"	79	10	40	2224
3"	92	10	40	2694
4"	118	10	40	3752

Kemi SD/10 UHMW-PE

Asit Solvent ve Kimyasal Madde Alıcı-Verici



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	31	10	40	690
1"	37	10	40	815
1 1/4"	45	10	40	1120
1 1/2"	52	10	40	1495
2"	67	10	40	2275
2 1/2"	80	10	40	2775
3"	93	10	40	3315
4"	120	10	40	4880

Kemi D/16 UHMW-PE

Asit Solvent ve Kimyasal Madde Verici | TS EN 12115



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	30	16	64	612
1"	36	16	64	755
1 1/4"	45	16	64	941
1 1/2"	51	16	64	1196
2"	65	16	64	1939
2 1/2"	79	16	64	2301
3"	92	16	64	2747
4"	118	16	64	3785

Kemi SD/16 UHMW-PE

Asit Solvent ve Kimyasal Madde Alıcı-Verici | TS EN 12115



İÇ	DÇ	ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
3/4"	31	16	64	674
1"	37	16	64	826
1 1/4"	45	16	64	1044
1 1/2"	52	16	64	1393
2"	67	16	64	2245
2 1/2"	80	16	64	2620
3"	93	16	64	3223
4"	120	16	64	4568

Teos

Girtlak-Lavabo Sifon



İÇ		PB	Ağr	
inch	mm	bar	gr/m	
5/8"	16	8	120	
3/4"	19	6	140	
1"	25	6	180	
1 1/7"	29	6	200	
1 1/4"	32	5	220	
1 1/2"	38	5	260	
2"	51	4	400	

Troy SLD

Süper Hafif Hizmet Su Verici



İÇ		VAKUM		Ağr	
inch	mm	m/H ₂ O		gr/m	
3/4"	19 23	7		200	
1"	25 20	6		250	
1 1/4"	32 18	6		320	
1 1/2"	38 16	6		420	
2"	51 13	6		645	
2 1/2"	63 11	6		810	
3"	76 10	6		1150	
4"	102 10	6		1710	

Troy LD

Hafif Hizmet Su Verici



İÇ		PB	VAKUM	Ağr	
inch	mm	bar	m/H ₂ O	gr/m	
3/4"	19	24	8	240	
1"	25	22	8	290	
	30	21	8	345	
1 1/4"	32	20	8	370	
	35	19	8	415	
1 1/2"	38	18	8	485	
	40	18	8	505	
	45	17	8	570	
2"	51	15	8	700	
	55	13	7	765	
	60	13	7	825	
2 1/2"	63	13	7	880	
	70	12	7	1100	
3"	76	12	7	1250	
	80	12	6	1400	
	90	11	6	1650	
4"	102	11	6	1850	
	110	10	5	2200	
	120	10	4	2700	
5"	127	10	4	3000	
6"	152	9	3	3700	
8"	203	6	2	5950	

Troy ST

Standart Hizmet Su Verici



İÇ		PB	VAKUM	Ağr	
inch	mm	bar	m/H ₂ O	gr/m	
3/4"	19	26	8	280	
1"	25	24	8	350	
	30	22	8	440	
1 1/4"	32	21	8	460	
	35	20	8	520	
1 1/2"	38	19	8	570	
	40	19	8	590	
	45	19	8	670	
2"	51	16	8	830	
	55	15	7	880	
	60	15	7	950	
2 1/2"	63	15	7	1000	
	70	13	7	1150	
3"	76	13	7	1450	
	80	13	6	1530	
	90	13	6	1750	
4"	102	12	6	2150	
	110	11	5	2450	
	120	11	5	2900	
5"	127	11	4	3200	
6"	152	10	3	4200	
8"	203	8	2	6400	

SEL Spiral Takviyeli Hortumlar

Medusa MD Orta Hizmet Alıcı-Verici



iÇ		PB	VAKUM	Ağr
inch	mm	bar	m/H ₂ O	gr/m
3/4"	19	32	9	360
1"	25	28	9	480
	30	24	9	550
	32	24	9	580
1 1/4"	35	24	9	640
	38	24	9	670
	40	24	9	700
2"	45	22	9	870
	51	22	9	975
	55	20	9	1080
2 1/2"	60	20	9	1250
	63	20	9	1350
	70	18	9	1580
3"	76	18	9	1700
	80	15	9	1800
	90	15	8	2100
4"	102	14	8	2600
	110	13	8	2900
	120	13	7	3200
5"	127	12	7	3650
6"	152	11	7	5100
8"	203	9	6	7850

Knidos

Süperelastik Orta Hizmet Alıcı-Verici



iÇ		PB	VAKUM	Ağr
inch	mm	bar	m/H ₂ O	gr/m
3/4"	19	18	9	360
1"	25	18	9	480
	30	16	9	550
	32	15	9	580
1 1/4"	35	14	9	640
	38	14	9	670
	40	13	9	700
2"	45	13	9	870
	51	13	9	975
	55	13	9	1080
2 1/2"	60	13	9	1250
	63	12	9	1350
	70	10	9	1580
3"	76	10	9	1700
	80	10	9	1800
	90	9	8	2100
4"	102	9	8	2600

Termessos Havuz-Jakuzi



iÇ		PB	VAKUM	Ağr
inch	mm	bar	m/H ₂ O	gr/m
1"	15	30	7	180
	20	27	7	250
	25	27	7	410
1 1/4"	28	27	7	280
	32	36	7	600
	40	27	7	730
	42	24	7	720
	43	24	7	680
	55	24	7	930

Herakles HD


Ağır Hizmet Alıcı-Verici



iÇ		PB	VAKUM	Ağr
inch	mm	bar	m/H ₂ O	gr/m
3/4"	19	40	9	450
1"	25	38	9	570
	30	30	9	650
	32	30	9	680
1 1/4"	35	30	9	730
	38	30	9	780
	40	30	9	810
2"	45	25	9	960
	51	25	9	1150
	55	25	9	1350
2 1/2"	60	25	9	1550
	63	25	9	1600
	70	20	9	1800
3"	76	20	9	1950
	80	20	9	2100
	90	17	9	2400
4"	102	15	9	3250

Lagina

Süperelastik Orta Hizmet Alıcı-Verici



İÇ		PB	VAKUM	Ağr
inch	mm	bar	m/H ₂ O	gr/m
3/4"	19	19	9	360
1"	25	19	9	480
	30	17	9	550
1 1/4"	32	16	9	580
	35	15	9	640
1 1/2"	38	15	9	670
	40	14	9	700
	45	14	9	870
2"	51	14	9	975
	55	14	9	1080
	60	14	9	1250
2 1/2 "	63	13	9	1350
	70	11	9	1580
3"	76	11	9	1700
	80	11	9	1800
	90	9	8	2100
4"	102	9	8	2600

Pegasus MD

Orta Hizmet Akaryakıt Alıcı-Verici



İÇ		PB	VAKUM	Ağr
inch	mm	bar	m/H ₂ O	gr/m
3/4"	19	35	9	360
1"	25	26	9	480
	32	22	9	580
1 1/2"	38	22	9	670
	40	22	9	700
2"	51	20	9	975
	55	18	9	1080
	60	18	9	1250
2 1/2 "	63	18	9	1350
	70	16	9	1580
3"	76	16	9	1700
	80	13	9	1800

Simena

Kırmızı Verici



İÇ		VAKUM	Ağr
inch	mm	m/H ₂ O	gr/m
3/4"	19	6	150
1"	25	6	170
	32	6	275
1 1/2"	38	6	340
	51	5	540
2 1/2 "	63	5	840
	76	5	1110
4"	102	5	1470
5"	127	5	2180
6"	152	5	2290
8"	203	5	3980

Lymra HD - PU

Ağır Hizmet Aşınmaz Alıcı-Verici



İÇ		PB	VAKUM	Ağr
inch	mm	bar	m/H ₂ O	gr/m
	40	30	9	810
	45	25	9	960
2"	51	25	9	1150
	60	25	9	1550
3"	76	20	9	1950
	80	20	9	2100
4"	102	15	9	3250
	120	15	8	3800
5"	127	15	8	4150
6"	152	12	7	6200

SEL Spiral Takviyeli Hortumlar

Letoon ST Standart Hizmet Gıda Verici



iç		PB	VAKUM	Ağr
inch	mm	bar	m/H ₂ O	gr/m
3/4"	19	26	7	280
1"	25	24	6	350
	30	22	6	440
1 1/4"	32	21	6	460
	35	20	6	520
1 1/2"	38	19	6	570
	40	19	6	590
	45	19	6	670
2"	51	16	6	830
	55	15	6	880
	60	15	6	950
2 1/2 "	63	15	6	1000
	70	13	6	1150
3"	76	13	6	1450
	80	13	6	1530
	90	13	6	1750
4"	102	12	6	2150

Letoon MD Orta Hizmet Gıda Verici



iç		PB	VAKUM	Ağr
inch	mm	bar	m/H ₂ O	gr/m
3/4"	19	32	9	360
1"	25	28	9	480
	30	24	9	550
1 1/4"	32	24	9	580
	35	24	9	640
1 1/2"	38	24	9	670
	40	24	9	700
	45	22	9	870
2"	51	22	9	975
	55	20	9	1080
	60	20	9	1250
2 1/2 "	63	20	9	1350
	70	18	9	1580
3"	76	18	9	1700
	80	15	9	1800
	90	15	8	2100
4"	102	14	8	2600

Likya ST Standart Hizmet Şarap Verici



iç		PB	VAKUM	Ağr
inch	mm	bar	m/H ₂ O	gr/m
3/4"	19	26	7	280
1"	25	24	6	350
	30	22	6	440
1 1/4"	32	21	6	460
	35	20	6	520
1 1/2"	38	19	6	570
	40	19	6	590
	45	19	6	670
2"	51	16	6	830
	55	15	6	880
	60	15	6	950
2 1/2 "	63	15	6	1000
	70	13	6	1150
3"	76	13	6	1450
	80	13	6	1530
	90	13	6	1750
4"	102	12	6	2150

Likya HD Ağır Hizmet Şarap Verici



iç		PB	VAKUM	Ağr
inch	mm	bar	m/H ₂ O	gr/m
3/4"	19	40	9	450
1"	25	38	9	570
	30	30	9	650
1 1/4"	32	30	9	680
	35	30	9	730
1 1/2"	38	30	9	780
	40	30	9	810
	45	25	9	960
2"	51	25	9	1150
	55	25	9	1350
	60	25	9	1550
2 1/2 "	63	25	9	1600
	70	20	9	1800
3"	76	20	9	1950
	80	20	9	2100
	90	17	9	2400
4"	102	15	9	3250

Urartu LD

Hafif Hizmet Havalandırma



iç		VAKUM	Ağr
inch	mm	m/H ₂ O	gr/m
3/4"	19	3	100
1"	25	3	110
	30	3	145
1 1/4"	32	3	160
	35	3	175
1 1/2"	38	3	200
	40	2,5	205
2"	51	2,5	300
	63	2,5	470
2 1/2"	70	2,5	510
	76	2	560
3"	90	2	680
	102	2	760
4"	120	1,5	1000
	127	1,5	1120
5"	152	1	1500
6"	203	1	2200

Urartu ST

Standart Hizmet Havalandırma



iç		VAKUM	Ağr
inch	mm	m/H ₂ O	gr/m
3/4"	19	3	110
1"	25	3	150
	30	3	190
1 1/4"	32	3	200
	35	3	230
1 1/2"	38	3	240
	40	2,5	280
2"	51	2,5	395
	63	2,5	520
2 1/2"	70	2,5	580
	76	2,5	640
3"	90	2	780
	102	2	970
4"	120	2	1200
	127	1,5	1250
5"	152	1,5	1600
6"	203	1	2400

Salamis MD


Orta Hizmet Havalandırma



iç		VAKUM	Ağr
inch	mm	m/H ₂ O	gr/m
3/4"	19	6	120
1"	25	6	175
	30	6	210
1 1/4"	32	6	240
	35	6	265
1 1/2"	38	6	310
	40	6	330
2"	51	6	450
	63	5,5	620
2 1/2"	70	5	700
	76	5	780
3"	102	5	1100
	120	4,5	1500
4"	127	4,5	1600
	152	4	2000
5"	203	3	2650
6"	254	2	3000

Ephesos

Yanmaz-Gaz Boruları İzolasyon Kılıfı



iç		Ağr
inch	mm	gr/m
	10	75
1/2"	12	80
	14	85
5/8"	16	95
	18	105
1"	20	120
	22	135
1 1/4"	25	160
	28	190
1 1/2"	30	195
	32	205
2"	35	230
	38	250
2 1/2"	40	280
	45	350
3"	51	430
	60	525

SEL Çelik Spiral Takviyeli Hortumlar

Bosphorus Çelik Spiralli



İÇ		PB	VAKUM	Ağr
inch	mm	bar	m/H ₂ O	gr/m
1/2"	12	21	9	180
	14	18	9	200
5/8"	16	18	9	225
	18	18	9	280
3/4"	20	15	9	340
	25	15	9	510
1"	30	13	9	600
	32	13	9	650
1 1/4"	35	12	9	730
	38	12	9	800
1 1/2"	40	9	9	870
	45	9	8	1100
2"	51	9	8	1200
	60	7	7	1800
2 1/2"	63	7	7	1950
	70	6	7	2200
3"	76	6	7	2500
	80	6	7	2700
4"	90	6	6	3000
	102	6	6	3400
5"	105	6	6	3490
	114	6	6	4380
6"	127	6	6	4700
	152	6	6	6350

Bosphorus + Çelik Spiralli



İÇ		PB	VAKUM	Ağr
inch	mm	bar	m/H ₂ O	gr/m
1/2"	12	36	9	190
	14	36	9	230
5/8"	16	36	9	260
	18	33	9	295
3/4"	20	30	9	340
	25	30	9	520
1"	30	27	9	630
	32	27	9	660
1 1/4"	35	27	9	750
	38	27	9	800
1 1/2"	40	27	9	950
	45	27	9	1150
2"	51	21	9	1330
	60	18	9	1850
2 1/2"	63	18	9	2000
	70	15	9	2300
3"	76	13	9	2600
	80	12	9	2750
4"	90	12	9	3100
	102	9	9	3700
5"	105	9	9	3850
	114	9	9	4500
6"	127	9	9	4700
	152	7	9	6900

Bosphorus Food Çelik Spiralli Gıda Uygun



İÇ		PB	VAKUM	Ağr
inch	mm	bar	m/H ₂ O	gr/m
1/2"	12	21	9	180
	14	18	9	200
5/8"	16	18	9	225
	18	18	9	280
3/4"	20	15	9	340
	25	15	9	510
1"	30	13	9	600
	32	13	9	650
1 1/4"	35	12	9	730
	38	12	9	800
1 1/2"	40	9	9	870
	45	9	8	1100
2"	51	9	8	1200
	60	7	7	1800
2 1/2"	63	7	7	1950
	70	6	7	2200
3"	76	6	7	2500
	80	6	7	2700
4"	90	6	6	3000
	102	6	6	3400
5"	105	6	6	3490
	114	6	6	4380
6"	127	6	6	4700
	152	6	6	6350

Bosphorus-SAN Sihhi Tesisat Hortumu



İÇ		PB	VAKUM	Ağr
inch	mm	bar	m/H ₂ O	gr/m
1/2"	12	21	9	180
	14	18	9	200
5/8"	16	18	9	225
	18	18	9	280
3/4"	20	15	9	340
	25	15	9	510
1"	30	13	9	600
	32	13	9	650
1 1/4"	35	12	9	730
	38	12	9	800
1 1/2"	40	9	9	870
	45	9	8	1100
2"	51	9	8	1200
	60	7	7	1800
2 1/2"	63	7	7	1950
	70	6	7	2200
3"	76	6	7	2500
	80	6	7	2700
4"	90	6	6	3000
	102	6	6	3400
5"	105	6	6	3490
	114	6	6	4380
6"	127	6	6	4700
	152	6	6	6350

Bosphorus ST Örgülü & Çelik Spiralli



İÇ		PB	VAKUM	Ağr
inch	mm	bar	m/H ₂ O	gr/m
3/4"	19	45	9	420
1"	25	45	9	680
1 1/4"	32	45	9	800
1 1/2"	38	45	9	1150
	40	45	9	1200
2"	45	45	9	1400
	51	45	9	1600


Yassı Hortumlar (Lay-Flat)

Tyana L Standart Hizmet Yassı Verici



İÇ		ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1 1/4"	32	7	21	190
	35	6	18	210
1 1/2"	38	6	18	225
	40	5	15	235
	45	5	15	265
2"	48	5	15	280
	52	5	15	305
2 1/2"	60	5	15	355
	63	4	12	370
	70	4	12	420
3"	76	4	12	460
	81	4	12	495
	90	4	12	580
4"	102	4	12	650
	110	4	12	780
	127	4	12	1000
6"	153	3	9	1300
8"	203	3	9	2050

Tyana M Orta Hizmet Yassı Verici



İÇ		ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1"	20	10	30	160
	25	10	30	195
1 1/4"	30	10	30	230
	32	9	27	240
1 1/2"	35	8	24	280
	38	8	24	300
	40	8	24	325
2"	45	8	24	355
	52	8	24	410
	55	8	24	490
2 1/2"	60	8	24	540
	63	8	24	565
	70	7	21	620
3"	76	7	21	685
	81	7	21	740
	84	7	21	770
4"	90	7	21	870
	102	7	21	1000
	110	7	21	1150
5"	127	6	18	1350
6"	153	4	12	1650
8"	203	2,5	7,5	2300

Tyana S Süper Hafif Hizmet Yassı Verici



İÇ		ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1 1/2"	38	3	6	195
	40	3	6	205
	48	3	6	240
2"	52	3	6	260

Tyana SL Hafif Hizmet Yassı Verici




İÇ		ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1 1/2"	32	5	14	175
	38	4	12	205
2"	52	4	12	275
	60	3,5	10	330
2 1/2"	63	3,5	10	360
	76	3,5	10	420
3"	81	3	8	460
	102	3	8	600
6"	153	2,5	7	1200

SEL Yassı Hortumlar (Lay-Flat)

Tyana MINE


Aleve Dayanıklı Yassı Verici



iç		ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
10 BAR				
1 1/2"	38,1	10	30	330
2"	50,8	10	30	510
2 1/2"	63,5	10	30	750
14 BAR				
1 1/2"	38,1	14	42	370
2"	50,8	14	42	540
2 1/2"	63,5	14	42	770

Tyana H

Ağır Hizmet Yassı Verici



iç		ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1 1/2"				
	38	16	48	455
	40	16	48	500
	45	16	48	560
2"				
	51	16	48	680
	55	15	45	730
2 1/2"				
	63	15	45	900
	70	14	42	990
3"				
	76	12	36	1075
	90	11	33	1255
4"				
	102	10	30	1550
5"				
	127	8	24	1955
6"				
	153	6	18	2605
8"				
	203	4	12	3405

Bahçe Sulama Hortumları

Eco

PVC Şeffaf Örgülü



iç		ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/4"	6	4	12	70
5/16"	8	4	12	90
3/8"	10	4	12	95
1/2"	12,5	3	10	100
5/8"	16	3	10	140
3/4"	19	3	10	160
1"	25	2,5	7	270
1 1/4"	32	2,5	7	410
1 1/2"				
	40	2	5	590
	45	2	5	760
2"				
	50	2	5	950

Flora

PVC Bahçe Sulama



iç		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
3/8"	10	14,5	5	15	130
1/2"	13	17,1	5	15	150
5/8"	16	20,4	5	15	195
3/4"	19	23,6	4	12	240
1"	25	30,2	4	12	350
1 1/4"	32	38	4	12	460

Meteor

PVC Sulama



iç		ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/4"	6	5	15	80
5/16"	8	5	15	95
3/8"	10	5	15	115
1/2"	12,5	5	15	145
5/8"	15,5	5	15	175
3/4"	19	5	15	220
1"	25	4	12	340
1 1/4"	32	4	12	450

Bodrum

Bahçe Yeşil



iç		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
1/2"	13	17,6	10	30	160
5/8"	16	20,7	10	30	200
3/4"					
	19	24	10	30	245
1"					
	25	30,5	7	21	355
	30	38	7	21	600
1 1/4"					
	32	40	7	21	625
1 1/2"					
	38	46	5	15	730
	40	48	5	15	765
	45	55	5	15	1100
2"					
	50	60	3	9	1210

Hermes

PVC Şeffaf Örgülü



iç		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
3/8"	10	14,6	5	15	110
1/2"	12,5	16,5	5	15	115
5/8"	16	20,3	5	15	150
3/4"	19	23,5	5	15	190
1"	25	30,5	4	12	300
1 1/4"	32	38,3	4	12	425
1 1/2"	38	46	4	12	650
	40	48	4	12	680
	45	54	4	12	860
2"	50	60	4	12	1080

Marmaris

Bahçe Mavi



iç		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
1/2"	13	17,6	10	30	160
5/8"	16	20,7	10	30	200
3/4"	19	24	10	30	245
1"	25	30,5	7	21	355
	30	38	7	21	600
1 1/4"	32	40	7	21	625
1 1/2"	38	46	5	15	730
	40	48	5	15	765
	45	55	5	15	1100
2"	50	60	3	9	1210

Çeşme


Bahçe Turuncu



iç		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
1/2"	13	17,6	10	30	160
5/8"	16	20,7	10	30	200
3/4"	19	24	10	30	245
1"	25	30,5	7	21	355
	30	38	7	21	600
1 1/4"	32	40	7	21	625
1 1/2"	38	46	5	15	730
	40	48	5	15	765
	45	55	5	15	1100
2"	50	60	3	9	1210

Caramel

Bahçe - Sera Floresan



iç		Ağr
inch	mm	gr/m
1/2"	12,5	125
1/2"	12,5	160
5/8"	16	170
3/4"	19	220
3/4"	19	240
1"	25	340
1 1/4"	32	500
1 1/2"	38	700

Örgülü Hortumlar

Olympos LD

Hafif PVC Örgülü



iç		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
1/4"	6	11	20	60	85
5/16"	8	13	20	60	105
3/8"	10	15	20	60	125
1/2"	13	18	15	45	150
5/8"	16	21	14	42	185
3/4"	19	25	13	39	270
1"	25	32	9	27	385

Olympos Food

Hafif Hizmet PVC Örgülü



iç		DÇ	ÇB	PB	Ağr	
inch	mm	mm	bar	bar	gr/m	
1/4"	20	6	11	20	60	85
5/16"	20	8	13	20	60	105
3/8"	20	10	15	20	60	125
1/2"	15	13	18	15	45	150
5/8"	14	16	21	14	42	185
3/4"	13	19	25	13	39	270
1"	9	25	32	9	27	385

SEL Örgülü Hortumlar

Olympos ST PVC Örgülü



İÇ		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
1/4"	6	12	25	75	105
5/16"	8	14	25	75	130
3/8"	10	16	20	60	155
1/2"	13	19	16	48	190
5/8"	16	22	16	48	225
3/4"	19	26	14	42	310
1"	25	33	10	30	450
1 1/4"	32	40	8	24	580
1 1/2"	38	48	7	21	880
	40	50	6	18	890
	45	55	6	18	990
2"	50	61	6	18	1200

Olympos HD-Oil Ağır Hizmet Örgülü PVC Akaryakıt



İÇ		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
5/32"	4	10	24	72	90
1/4"	6	12	23	69	110
5/16"	8	14	23	69	140
3/8"	10	16	21	63	155
1/2"	12	18,2	20	60	195
5/8"	16	24	18	54	320
3/4"	19	27	16	48	365
1"	25	34	13	39	520
1 1/4"	32	41	8	24	650
1 1/2"	38	48,4	7	21	890
2"	50	61	6	18	1220

Gordion

Thermorub® Alçak Basıncı Su I TS 8507



İÇ		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
1/2"	12,5	18	7	21	200
5/8"	16	22	7	21	265
3/4"	19	26	7	21	375
1"	25	33	7	21	550
1 1/4"	32	41	7	21	775
1 1/2"	38	50	7	21	1250
2"	50	62	7	21	1600

Odeon L

Pülverizatör (İlaçlama) 20-40 Bar



İÇ		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
20 BAR					
5/16"	8	13	20	60	115
3/8"	10	15	20	60	135
1/2"	12,5	19	20	60	220
5/8"	16	23	20	60	290
3/4"	19	26	20	60	435
1"	25	33,5	20	60	530
40 BAR					
5/16"	8	14	40	120	140
3/8"	10	16	40	120	175
1/2"	12,5	20	40	120	275
5/8"	16	24	40	120	350
3/4"	19	28	40	120	455
1"	25	35	40	120	640

Odeon

Pülverizatör (İlaçlama) 50-80-100 Bar



İÇ		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
50 BAR					
5/16"	8	14	50	150	145
3/8"	10	17	50	150	200
1/2"	12,5	20	50	150	270
80 BAR					
5/16"	8	15	80	240	180
3/8"	10	18	80	240	240
1/2"	12,5	21	80	240	310
90 BAR					
5/16"	8	15	100	300	185
3/8"	10	18	100	300	245
1/2"	12,5	21	100	300	320

Air-Pump

Thermorub® Hava Pompa I TS EN ISO 5774



İÇ		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
3/16"	4,5	11,5	10	40	130
3/16"	4,7	10	10	40	90
1/4"	6	15	10	40	220

Assos

Thermorub® Hafif Hizmet Hava | TS EN ISO 5774



iç		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
10 BAR					
1/2"	12,5	20	10	40	290
5/8"	16	24	10	40	380
3/4"	19	28	10	40	500
1"	25	35	10	40	710
20 BAR					
1/4"	6	13	20	60	155
5/16"	8	15	20	60	190
3/8"	10	17	20	60	225
1/2"	12,5	21	20	60	335
5/8"	16	25	20	60	435
3/4"	19	29	20	60	565
1"	25	36	20	60	790
1 1/4"	32	44	20	60	1080
1 1/2"	28	50	20	60	1250
2"	50	64	10	30	1840

Hava Hortumu


Hava Hortumu



iç		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
1/4"	6	12	20	60	125
1/4"	6	13,5	20	60	175
5/16"	8	14	20	60	155
5/16"	8	15	20	60	195
5/16"	8	16	20	60	225
	9	16	20	60	210
3/8"	10	17	20	60	230
3/8"	10	17,5	20	60	250
1/2"	12,7	21	20	60	335

Tüpgaz


LPG Tüpgaz | TS 1846



iç		ÇB	PB	Ağr
inch	mm	bar	bar	gr/m
1/4"	6	12	3,5	105
5/16"	8	14	3,5	130
3/8"	10	16	3,5	150

Tüpgaz +

LPG Tüpgaz Örgülü | TS 1846



iç		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
5/16"	8	-	-	-	140
3/8"	10	-	-	-	150

Ares

PU-PVC Hava | TS EN ISO 5774



iç		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
1/4"	6	10	20	60	70
5/16"	8	12	20	60	85
3/8"	10	15	20	60	125
1/2"	13	19	20	60	190

Hava Hortumu İkiz

İkiz Hava Hortumu



iç		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
1/4"	6	12	20	60	250
1/4"	6	12	20	60	250
1/4"	6	13,5	20	60	350
1/4"	6	13,5	20	60	350
	6,3	15,9	20	60	465
	9	16	20	60	465
5/16"	8	14	20	60	310
5/16"	8	14	20	60	310
5/16"	8	15	20	60	390
5/16"	8	15	20	60	390
5/16"	8	15	20	60	425
3/8"	10	17	20	60	425
5/16"	8	16	20	60	450
5/16"	8	16	20	60	450
3/8"	10	17	20	60	460
3/8"	10	17	20	60	460
3/8"	10	17,5	20	60	500
3/8"	10	17,5	20	60	500
1/2"	12,7	21	20	60	670
1/2"	12,7	21	20	60	670

Torch


Kaynak Makinesi Hortumu



iç		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
5/32"	4	7	10	30	35
3/16"	5	8	10	30	40
1/4"	6	11	10	30	85
5/16"	8	13	10	30	100
	9	14	10	30	105
3/8"	10	15	10	30	120

SEL Örgülü Hortumlar

Tüpgaz CC LPG Çift Cidarlı I TS 1846



İÇ		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
5/16"	8	15	20	60	160
3/8"	10	17	20	60	185

Fire Reel Thermorub® Yangın I TS EN 694+A1



İÇ		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
12 BAR					
3/4"	19	26	12	42	385
1"	25	33	12	42	565
1 1/4"	33	43	7	25	910
20 BAR					
1/2"	12,5	19	20	70	235
3/4"	19	26	20	70	380
1"	25	33	20	70	560

Fuel Dizel



İÇ		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
5/8"	16	25	20	60	415
3/4"	19	28	20	60	470
1"	25	34	20	60	595
1 1/4"	32	44	20	60	1060

Tekno Saf Şeffaf PVC Hortum



İÇ		DÇ	Ağr
inch	mm	mm	gr/m
4	8	45	
5	9	55	
6	8	30	
6	10	60	
7	12	95	
8	10	35	
8	11	55	
8	13	100	
9	14	110	
10	13	70	
10	14	95	
10	16	150	
12,7	16	90	
12,7	17	125	
16	20	140	
16	21	180	
19	23	165	
19	24	210	
25	30	265	
25	31	325	
32	38	405	
38	45	560	
40	48	675	
50	60	1050	

Shower Duş Hortumu



İÇ		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
5/16"	7,7	12,4	10	30	90
5/16"	8	13	10	30	105
3/8"	9,5	14	10	30	105

Wash Çamaşır Makinesi



İÇ		DÇ	ÇB	PB	Ağr
inch	mm	mm	bar	bar	gr/m
5/16"	8	15	20	60	195
3/8"	10	17	20	60	225
1/2"	12,5	20	20	60	290

Valvo[®]
Group

Selpo HD

Tekstil Örgülü (SAE 100 R7)



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8	210	840	25	52
5/32"	9	250	1000	90	59
3/16"	9,5	230	920	90	64
1/4"	11,8	200	800	100	89
5/16"	14	190	760	115	121
3/8"	16,2	175	700	125	154
1/2"	20	140	600	180	214
5/8"	24,1	105	420	205	309
3/4"	27,5	87	348	240	408
1"	34	70	280	300	565

Selpo HD İkiz

Tekstil Örgülü (SAE 100 R7)



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8	210	840	25	104
5/32"	9	250	1000	90	118
3/16"	9,5	230	920	90	128
1/4"	11,8	200	800	100	178
5/16"	14	190	760	115	242
3/8"	16,2	175	700	125	308
1/2"	20	140	600	180	428
5/8"	24,1	105	420	205	618
3/4"	27,5	87	348	240	816
1"	34	70	280	300	1130

Selpo MD

Tekstil Örgülü



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	7,5	150	600	20	47
5/32"	8	150	600	60	44
3/16"	8,5	150	600	60	43
1/4"	11,4	137	548	100	76
5/16"	13	137	548	115	109
3/8"	15,5	137	548	125	137
1/2"	18,6	100	400	180	158
5/8"	22,7	100	400	205	244
3/4"	25,5	100	300	240	261
1"	32,6	75	300	300	449

Selpo MD İkiz

Tekstil Örgülü



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	7,5	150	600	20	94
5/32"	8	150	600	60	88
3/16"	8,5	150	600	60	86
1/4"	11,4	137	548	100	152
5/16"	13	137	548	115	218
3/8"	15,5	137	548	125	274
1/2"	18,6	100	400	180	316
5/8"	22,7	100	400	205	488
3/4"	25,5	100	300	240	522
1"	32,6	75	300	300	898

Selar-1

Tekstil (Aramid) Örgülü



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	7,5	300	1200	20	46
5/32"	8,2	300	1200	60	52
3/16"	8,6	250	1000	60	68
1/4"	11,4	225	900	100	82
5/16"	13	200	800	115	92
3/8"	15	190	760	125	102
1/2"	18,6	175	700	180	136
5/8"	22,6	150	600	205	217
3/4"	25,5	130	520	240	245
1"	32	100	400	300	363

Selar-1 İkiz

Tekstil (Aramid) Örgülü



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	7,5	300	1200	20	92
5/32"	8,2	300	1200	60	104
3/16"	8,6	250	1000	60	136
1/4"	11,4	225	900	100	164
5/16"	13	200	800	115	184
3/8"	15	190	760	125	204
1/2"	18,6	175	700	180	272
5/8"	22,6	150	600	205	434
3/4"	25,5	130	520	240	490
1"	32	100	400	300	726

SEL Hidrolik Hortumlar

Selar-2

Tekstil (Aramid) Örgülü (SAE 100 R8)



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8,5	420	1620	25	60
5/32"	7,5	362	1448	90	65
3/16"	8,9	350	1400	90	74
1/4"	11,5	345	1380	100	91
5/16"	12,5	300	1200	115	117
3/8"	15,5	275	1100	125	144
1/2"	19,6	190	1000	180	193
5/8"	22,6	150	800	205	271
3/4"	27	120	648	240	295
1"	34	105	560	300	465

Selar-2 İkiz

Tekstil (Aramid) Örgülü (SAE 100 R8)



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8,5	420	1620	25	120
5/32"	7,5	362	1448	90	130
3/16"	8,9	350	1400	90	148
1/4"	11,5	345	1380	100	182
5/16"	12,5	300	1200	115	234
3/8"	15,5	275	1100	125	288
1/2"	19,6	190	1000	180	386
5/8"	22,6	150	800	205	542
3/4"	27	120	648	240	590
1"	34	105	560	300	930

Selar ST

Tekstil (Aramid) ve Çelik Tel Örgülü



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8,5	450	1800	20	99
5/32"	9	400	1600	40	117
3/16"	11	390	1560	90	164
1/4"	13	390	1560	100	187
5/16"	15	330	1320	115	221
3/8"	18	315	1260	125	312
1/2"	21	275	1100	180	360
5/8"	24	195	780	205	433
3/4"	28	180	720	240	457
1"	34	160	640	400	619

Selar ST İkiz


Tekstil (Aramid) ve Çelik Tel Örgülü



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8,5	450	1800	20	198
5/32"	9	400	1600	40	234
3/16"	11	390	1560	90	328
1/4"	13	390	1560	100	374
5/16"	15	330	1320	115	442
3/8"	18	315	1260	125	624
1/2"	21	275	1100	180	720
5/8"	24	195	780	205	866
3/4"	28	180	720	240	914
1"	34	160	640	400	1238

Selsteel-1

Çelik Tel Örgülü



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8,2	325	1300	20	110
5/32"	8,6	300	1200	40	113
3/16"	9,5	293	1172	90	130
1/4"	12	287	1148	100	170
5/16"	13	240	960	115	167
3/8"	15,5	212	848	125	240
1/2"	18,7	185	740	180	286
5/8"	22,5	150	600	205	384
3/4"	25,7	125	500	240	423
1"	31,5	100	400	400	496

Selsteel-1 İkiz

Çelik Tel Örgülü



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8,2	325	1300	20	220
5/32"	8,6	300	1200	40	226
3/16"	9,5	293	1172	90	260
1/4"	12	287	1148	100	340
5/16"	13	240	960	115	334
3/8"	15,5	212	848	125	480
1/2"	18,7	185	740	180	572
5/8"	22,5	150	600	205	768
3/4"	25,7	125	500	240	846
1"	31,5	100	400	400	992

Selsteel-2 Çelik Tel Örgülü



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	9,8	450	1800	30	196
5/32"	10,5	400	1600	90	197
3/16"	11,3	390	1560	90	240
1/4"	13	390	1462	100	279
5/16"	15	330	1320	115	317
3/8"	17	315	1180	125	433
1/2"	20	250	1000	180	476
5/8"	23,5	195	780	205	590
3/4"	28	180	720	240	625
1"	34	160	640	300	794

Selsteel-2 İkiiz Çelik Tel Örgülü



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	9,8	450	1800	30	392
5/32"	10,5	400	1600	90	394
3/16"	11,3	390	1560	90	480
1/4"	13	390	1462	100	558
5/16"	15	330	1320	115	634
3/8"	17	315	1180	125	866
1/2"	20	250	1000	180	952
5/8"	23,5	195	780	205	1180
3/4"	28	180	720	240	1250
1"	34	160	640	300	1588

Boya ve Solvent Hortumları

Selpaint MD Tekstil Örgülü Solvent ve Boya



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	7,2	150	920	20	40
5/32"	8	230	920	60	41
3/16"	9,5	170	680	60	44
1/4"	11,4	137	548	100	80
5/16"	13	137	548	115	95
3/8"	15,5	137	548	125	130
1/2"	18,6	125	500	180	146
5/8"	22,7	105	420	205	231
3/4"	25,5	100	300	240	277
1"	32,6	75	300	300	420

Selpaint MD İkiiz Tekstil Örgülü Solvent ve Boya



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	7,2	150	920	20	80
5/32"	8	230	920	60	82
3/16"	9,5	170	680	60	88
1/4"	11,4	137	548	100	160
5/16"	13	137	548	115	190
3/8"	15,5	137	548	125	260
1/2"	18,6	125	500	180	292
5/8"	22,7	105	420	205	462
3/4"	25,5	100	300	240	554
1"	32,6	75	300	300	840

Selpaint HD Tekstil Örgülü Solvent ve Boya (SAE 100 R7)



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8	227	908	25	50
5/32"	9	230	920	90	57
3/16"	9,6	230	920	90	62
1/4"	11,8	200	800	100	85
5/16"	14	190	760	115	117
3/8"	16,2	175	700	125	144
1/2"	20	150	600	180	203
5/8"	24,1	105	420	205	296
3/4"	27,5	100	400	240	293
1"	34	70	280	300	535

Selpaint HD İkiiz Tekstil Örgülü Solvent ve Boya İkiiz (SAE 100 R7)




İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8	227	908	25	100
5/32"	9	230	920	90	114
3/16"	9,6	230	920	90	124
1/4"	11,8	200	800	100	170
5/16"	14	190	760	115	234
3/8"	16,2	175	700	125	288
1/2"	20	150	600	180	406
5/8"	24,1	105	420	205	592
3/4"	27,5	100	400	240	586
1"	34	70	280	300	1070

SEL Boya ve Solvent Hortumları

Selpaint ST-1

Çelik Tel Örgülü Solvent ve Boya



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8,2	325	1300	20	100
5/32"	8,6	300	1200	40	111
3/16"	9,5	293	1172	90	128
1/4"	12	287	1148	100	165
5/16"	13	240	960	115	162
3/8"	15,5	212	848	125	231
1/2"	18,7	185	740	180	263
5/8"	22,5	150	600	205	368
3/4"	25,7	125	500	240	404
1"	31,5	100	400	400	462

Selpaint ST-1 İkiz

Çelik Tel Örgülü Solvent ve Boya İkiz



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8,2	325	1300	20	200
5/32"	8,6	300	1200	40	222
3/16"	9,5	293	1172	90	256
1/4"	12	287	1148	100	330
5/16"	13	240	960	115	324
3/8"	15,5	212	848	125	462
1/2"	18,7	185	740	180	526
5/8"	22,5	150	600	205	736
3/4"	25,7	125	500	240	808
1"	31,5	100	400	400	924

Selpaint ST-2

Çelik Tel Örgülü Solvent ve Boya



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	9,8	450	1800	30	172
5/32"	10,5	400	1600	30	195
3/16"	11,3	293	1560	35	238
1/4"	13	390	1462	40	274
5/16"	15	330	1320	50	312
3/8"	17	315	1102	60	424
1/2"	20	250	1000	80	463
5/8"	23,5	180	875	115	574
3/4"	28	180	720	160	611
1"	34	160	640	200	760

Selpaint ST-2 İkiz


Çelik Tel Örgülü Solvent ve Boya İkiz



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	9,8	450	1800	30	344
5/32"	10,5	400	1600	30	390
3/16"	11,3	293	1560	35	476
1/4"	13	390	1462	40	548
5/16"	15	330	1320	50	624
3/8"	17	315	1102	60	848
1/2"	20	250	1000	80	926
5/8"	23,5	180	875	115	1148
3/4"	28	180	720	160	1222
1"	34	160	640	200	1520

Selpaint AR-1

Tekstil (Aramid) Örgülü Solvent ve Boya



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8	300	1200	20	45
5/32"	8,2	300	1200	60	50
3/16"	8,5	250	1000	60	46
1/4"	11,4	225	900	100	85
5/16"	12	200	800	115	88
3/8"	15	190	760	125	94
1/2"	17,5	175	700	180	125
5/8"	22,5	150	600	205	203
3/4"	25,5	130	520	240	230
1"	32	100	400	300	334

Selpaint AR-1 İkiz

Tekstil (Aramid) Örgülü Solvent ve Boya



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8	300	1200	20	90
5/32"	8,2	300	1200	60	100
3/16"	8,5	250	1000	60	92
1/4"	11,4	225	900	100	170
5/16"	12	200	800	115	176
3/8"	15	190	760	125	188
1/2"	17,5	175	700	180	250
5/8"	22,5	150	600	205	406
3/4"	25,5	130	520	240	460
1"	32	100	400	300	668

Selpaint AR-2

Tekstil (Aramid) Örgülü R8 Solvent ve Boya



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8,5	362	1448	25	58
5/32"	9	362	1448	90	63
3/16"	9,3	362	1448	90	62
1/4"	12	362	1448	100	87
5/16"	14	350	1400	115	112
3/8"	16,5	287	1148	125	136
1/2"	20,2	250	1000	180	182
5/8"	24	200	800	205	265
3/4"	28	162	648	240	287
1"	34	140	560	300	436

Selpaint AR-2 İkiiz

Tekstil (Aramid) Örgülü R8 Solvent ve Boya İkiiz



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8,5	362	1448	25	116
5/32"	9	362	1448	90	126
3/16"	9,3	362	1448	90	124
1/4"	12	362	1448	100	174
5/16"	14	350	1400	115	224
3/8"	16,5	287	1148	125	272
1/2"	20,2	250	1000	180	364
5/8"	24	200	800	205	530
3/4"	28	162	648	240	574
1"	34	140	560	300	872

Selpaint AR ST

Tekstil (Aramid) ve Çelik Tel Örgülü Solvent ve Boya



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8,5	362	1448	20	98
5/32"	9	362	1448	40	115
3/16"	9,3	362	1448	90	162
1/4"	12	362	1448	100	183
5/16"	14	350	1400	115	216
3/8"	16,5	287	1148	125	304
1/2"	20,2	250	1000	180	349
5/8"	24	200	800	205	419
3/4"	28	162	648	240	440
1"	34	140	560	400	590

Selpaint AR ST İkiiz

Tekstil (Aramid) ve Çelik Tel Örgülü Solvent ve Boya



İÇ	DÇ	ÇB	PB	KYÇ/r	Ağr
inch	mm	bar	bar	mm	gr/m
1/8"	8,5	362	1448	20	196
5/32"	9	362	1448	40	230
3/16"	11	362	1448	90	324
1/4"	13	362	1448	100	366
5/16"	15	350	1400	115	432
3/8"	18	287	1148	125	608
1/2"	21	250	1000	180	698
5/8"	24	200	800	205	838
3/4"	28	162	648	240	880
1"	34	140	560	400	1180